

LIST OF REFERENCES

- Abdulameer, S. A., Sulaiman, S. A., Hassali, M. A., Subramaniam, K. and Sahib, M. N. (2012) Osteoporosis and type 2 diabetes mellitus: what do we know, and what we can do?, Patient Prefer. Adherence, vol. 6: 435-48.
- Adaikan, P. G., Srilatha, B. and Wheat, A. J. (2009) Efficacy of red clover isoflavones in the menopausal rabbit model, Fertil. Steril., vol. 92(6): 2008-13.
- Adlercreutz, H., Bannwart, C., Wähälä, K., Mäkelä, T., Brunow, G., Hase, T., Arosemena, P. J., Kellis, J. T. and Vickery, L. E. (1993) Inhibition of human aromatase by mammalian lignans and isoflavonoid phytoestrogens, J. Steroid Biochem., vol. 44(2): 147-53.
- Akiyama, T., Ishida, J., Nakagawa, S., Ogawara, H., Watanabe, S., Itoh, N., Shibuya, M. and Fukami, Y. (1987) Genistein, a specific inhibitor of tyrosine specific protein kinases, J. Biol. Chem., vol. 262(1): 5592-5.
- Al-Anazi, A. F., Qureshi, V. F., Javaid, K. and Qureshi, S. (2011) Preventive effects of phytoestrogens against postmenopausal osteoporosis as compared to the available therapeutic choices: An overview, J. Nat. Sci. Biol. Med., vol. 2(2): 154-63.
- Alekel, D. L., Germain, A. S., Peterson, C. T., Hanson, K. B., Stewart, J. W. and Toda, T. (2000) Isoflavone-rich soy protein isolate attenuates bone loss in the lumbar spine of perimenopausal women, Am. J. Clin. Nutr., vol. 72(3): 844-52.
- Almeida, M., Iyer, S., Martin-Millan, M., Bartell, S. M., Han, L., Ambrogini, E., Onal, M., Xiong, J., Weinstein, R. S., Jilka, R. L., O'Brien, C. A. and Manolagas, S. C. (2013) Estrogen receptor- α signaling in osteoblast progenitors stimulates cortical bone accrual, J. Clin. Invest., vol. 123(1): 394-404.
- Anastasopoulou, C. and Rude, R. K. (2002) Bone mineral density screening: assessment of influence on prevention and treatment of osteoporosis, Endocr. Pract., vol. 8(3): 199-201.

- Anderson, J. J., Anthony, M. S., Cline, J. M., Washburn, S. A. and Garner, S. C. (1999) Health potential of soy isoflavones for menopausal women, *Public Health Nutr.*, vol. 2(4): 489-504.
- Anderson, J. J. and Garner, S. C. (1997) The effects of phytoestrogens on bone, *Nutr. Res.*, vol. 17(10): 1617-32.
- Anwar, A., McTernan, P. G., Anderson, L. A., Askaa, J., Moody, C. G., Barnett, A. H., Eggo, M. C. and Kumar, S. (2001) Site-specific regulation of estrogen receptor α and β by estradiol in human adipose tissue, *Diabetes Obes. Metab.*, vol. 3(5): 338-49.
- Arjmandi, B. H. (2001) The role of phytoestrogens in the prevention and treatment of osteoporosis in ovarian hormone deficiency, *J. Am. Coll. Nutr.*, vol. 20(5): 398-402.
- Arjmandi, B. H., Alekel, L., Hollis, B. W., Amin, D., Stacewicz-Sapuntzakis, M., Guo, P. and Kukreja, S. C. (1996) Dietary soybean protein prevents bone loss in an ovariectomized rat model of osteoporosis, *J. Nutr.*, vol. 126(1): 161-7.
- Arjmandi, B. H. and Smith, B. J. (2002). Soy isoflavones' osteoprotective role in postmenopausal women: mechanism of action, *J. Nutr. Biochem.*, vol. 13(3): 130-7.
- Asarian, L. and Geary, N. (2002) Cyclic estradiol treatment normalizes body weight and restores physiological patterns of spontaneous feeding and sexual receptivity in ovariectomized rats, *Horm. Behav.*, vol. 42(4): 461-71.
- Asonova, S. N. and Migalkin, N. S. (1996) Use of Masson's trichrome method for staining decalcified bone tissue, *Arkh Patol.*, vol. 58(1): 66-7.
- Atkinson, C., Compston, J. E., Day, N. E., Dowsett, M. and Bingham, S. A. (2004) The effects of phytoestrogen isoflavones on bone density in women: A double-blind, randomized, placebo-controlled trial, *Am. J. Clin. Nutr.*, vol. 79(2): 326-33.
- Bancroft, J. D. and Cook, H. C. (1998) Manual of histotechnological techniques, Churchill Livingstone, New York: 243.
- Bancroft, J. D., Cook, H. C. and Turner, D. R. (1994) Manual of histological techniques and their diagnostic application: 2nd edi., USA: Churchill Livingstone.,

- Beck, V., Rohr, U. and Jungbauer, A. (2005) Phytoestrogens derived from red clover: An alternative to estrogen replacement therapy?, *J. Steroid Biochem. Mol. Biol.*, vol. 94(5): 499-518.
- Behari, J. and Behari, J. (2009) Changes in bone histology due to capacitive electric field stimulation of ovariectomized rat, *Ind. J. Med. Res.*, vol. 130(6): 720-5.
- Bitto, A., Burnett, B. P., Polito, F., Marini, H., Levy, R. M., Armbruster, M. A., Minutoli, L., Di Stefano, V., Irrera, N., Antoci, S., Granese, R., Squadrito, F. and Altavilla, D. (2008) Effects of genistein aglycone in osteoporotic, ovariectomized rats: a comparison with alendronate, raloxifene and estradiol, *Br. J. Pharmacol.*, vol. 155(6): 896-905.
- Birt, D. F., Hendrich, S. and Wang, W. (2001) Dietary agents in cancer prevention: flavonoids and isoflavonoids, *Pharmacol. Ther.*, vol. 90(2-3): 157-77.
- Biver, E., Chopin, F., Coiffier, G., Brentano, T. F., Bouvard, B., Garner, P. and Cortet, B. (2012) Bone turnover markers for osteoporotic status assessment? A systematic review of their diagnosis value at baseline in osteoporosis, *Joint Bone Spine*, vol. 79(1): 20-5.
- Blair, H. C., Jordan, S. E., Peterson, T. G. and Barnes, S. (1996) Variable effects of tyrosine kinase inhibitors on avian osteoclastic activity and Reduction of bone loss in ovariectomized rats, *J. Cell Biochem.*, vol. 61(4): 629-37.
- Bonnet, N., Benhamou, C. L., Malaval, L., Goncalves, C., Vico, L., Eder, V., Pichon, C. and Courteix, D. (2008) Low dose *beta*-blocker prevents ovariectomy-induced bone loss in rats without affecting heart functions, *J. Cell Physiol.*, vol. 217(3): 819-27.
- Booth, N. L. and Piersen, C. E. (2006) Red clover (*Trifolium pretense*), Encyclopedia of Dietary Supplements (New York), 587-602.
- Booth, N. L., Piersen, C. E., Banuvar, S., Geller, S. E., Shulman, L. P. and Farnsworth, N. R. (2006) Clinical studies of red clover (*Trifolium pretense*) dietary supplements in menopause: A literature review, *Menopause*, vol. 13(2): 251-64.
- Bowey, E., Adlercreutz, H. and Rowland, I. (2003) Metabolism of isoflavones and lignans by the gut microflora: A study in germ-free and human flora associated rats, *Food Chem. Toxicol.*, vol. 41(5): 631-6.
- Bringhurst, F. R., Demay, M. B. and Kronenberg, H. M. (2011) Hormones and disorders of mineral metabolism. In: Kronenberg, H. M., Melmed, S., Polansky, K. S. and Larsen, P. R. (eds.). Williams Textbook of Endocrinology. 12th edi. Philadelphia: Pa, Saunders Elsevier, chap 28.

- Bubshait, D. and Sadat, M. A. (2007) Economic implications of osteoporosis-related femoral fractures in Saudi Arabian society, *Calcified Tissue Int.*, vol. 81(6): 455-8.
- Burdette, J. E., Liu, J., Lantvit, D., Lim, E., Booth, N., Bhat, K. L., Hedayat, S., van Breemen, R. B., Constantinou, A. I., Pezzuto, J. M., Farnsworth, N. R. and Bolton, J. L. (2002) *Trifolium pretense* (Red clover) exhibits estrogenic effects in vivo in ovariectomized Sprague-Dawley rats, *J. Nutr.*, vol. 132(1): 27-30.
- Chiappetta, N. and Gruber, B. (2006) The role of mast cells in osteoporosis, *Semin. Arthritis Rheum.*, vol. 36(1): 32-36.
- Canè, V., Marotti, G., Volpi, G., Zaffe, D., Palazzini, S., Remaggi, F. and Muglia, M. A. (1982) Size and density of osteocyte lacunae in different regions of long bones, *Calcif. Tissue Int.*, vol. 34(6): 558-63.
- Canpolat, S., Tug, N., Seyran, A. D., Kumru, S. and Yilmaz, B. (2010) Effects of raloxifene and estradiol on bone turnover parameters in intact and ovariectomized rats, *J. Physiol. Biochem.*, vol. 66(1): 23-8.
- Carusi, D. (2000) Phytoestrogens as hormone replacement therapy: An evidence-based approach, *Prim. Care Update Ob Gyns*, vol. 7(6): 253-9.
- Cauley, J. A., Robbins, J., Chen, Z., Cummings, S. R., Jackson, R. D., LaCroix, A. Z., LeBoff, M., Lewis, C. E., McGowan, J., Neuner, J., Pettinger, M., Stefanick, M. L., Wactawski-Wende, J. and Watts, N. B. (2003) Effects of estrogen plus progestin on risk of fracture and bone mineral density. The Women's Health Initiative randomized trial, *JAMA*, vol. 290(13): 1729-38.
- Chan, H. Y., Wang, H. and Leung, L. K. (2003) The red clover (*Trifolium pretense*) isoflavone biochanin A modulates the biotransformation pathways of 7,12-dimethylbenz[a]anthracene, *Br. J. Nutr.*, vol. 90(1): 87-92.
- Chapman, D. G., Gastilla, R. and Campbell, J. A. (1959) Evaluation of protein in foods: I-A method for the determination of protein efficiency ratio, *Can. J. Biochem. Physiol.*, 37: 679-86.
- Chedraui, P., Hidalgo, L., Miguel, G. S., Morocho, N. and Ross, S. (2006) Red clover extract (MF11RCE) supplementation and postmenopausal vaginal and sexual health, *Int. J. Gynecol. Obstet.*, vol. 95(3): 296-7.
- Chen, P., Satterwhite, J. H., Licata, A. A., Lewiecki, E. M., Sipos, A. A., Misurski, D. M. and Wagman, R. B. (2005) Early changes in biochemical markers of bone formation predict BMD response to teriparatide in postmenopausal women with osteoporosis, *J. Bone Miner. Res.*, vol. 20(6): 962-70.

- Chen, Y. and Heiman, M. L. (2001) Increased weight gain after ovariectomy is not a consequence of leptin resistance, Am. J. Physiol. Endocr. Metab., vol. 280(2): 315-22.
- Chen, Y. M., Ho, S. C., Lam, S. S., Ho, S. S. and Woo, J. L. (2003) Soy isoflavones have a favorable effect on bone loss in Chinese postmenopausal women with lower bone mass: A double - blind, randomized, controlled trial, J. Clin. Endocr. Metab., vol. 88(10): 4740-7.
- Chinni, S. R., Alhasan, S. A., Multani, A.S, Pathak, S. and Sarkar, F. H. (2003) Pleotropic effects of genistein on MCF-7 breast cancer cells, Int. J. Mol. Med., vol. 12(1): 29-34.
- Clifton-Bligh, P. B., Baber, R. J., Fulcher, G. R., Nery, M. L. and Moreton, T. (2001) The effect of isoflavones extracted from red clover (Rimostil) on lipid and bone metabolism, Menopause, vol. 8(4): 259-65.
- Cocchetto, D. M. and Bjornsson, T. D. (1983) Methods for vascular access and collection of body fluids from the laboratory rat, J. Pharm. Sci., vol. 72(5): 465-92.
- Cole, R. E. (2008) Improving clinical decisions for women at risk of osteoporosis: dual-femur bone mineral density testing, J. Am. Osteopath Assoc., vol. 108(6): 289-95.
- Compston, J. (2004) Osteoporosis. In Warrell, D. A., Benz, E. J., Cox, T. M. and Firth, J. D. (Eds.), Oxford Textbook of Medicine, 4th edi., vol. 3.
- Coon, J. T., Pittler, M. H. and Ernst, E. (2007) *Trifolium pretense* isoflavones in the treatment of menopausal hot flushes: A systematic review and meta-analysis, Phytomedicine, vol. 14(2-3): 153-9.
- Cremers, S., Garnero, P. and Seibel, M. J. (2008) Biochemical markers of bone metabolism. In: Bilezikian, J. P., Raisz, L. G. and John Martin, T. (Eds.). Principles of Bone Biology. 3rd edi., San Diego, Academic Press, 1857-81.
- Cui, Y., Bhandary, B., Marahatta, A., Lee, G. H., Li, B., Kim, D. S., Chae, S. W., Kim, H. R. and Chae, H. J. (2011) Characterization of *Salvia miltiorrhiza* ethanol extract as an anti-osteoporotic agent, BMC Complement. Altern. Med., vol. 11: 120-30
- Dai, R., Ma, Y., Sheng, Z., Jin, Y., Zhang, Y., Fang, L., Fan, H. and Liao, E. (2008) Effects of genistein on vertebral trabecular bone microstructure, bone mineral density, microcracks, osteocyte density, and bone strength in ovariectomized rats, J. Bone Miner. Metab., vol. 26(4): 342-9.

- Danilovich, N., Babu, P. S., Xing, W., Gerdes, M., Krishnamurthy, H. and Sairam, M. R. (2000) Estrogen deficiency, obesity, and skeletal abnormalities in follicle-stimulating hormone receptor knockout (FORKO) female mice, *Endocr.*, vol. 141(11): 4295-308.
- Das, U. N. (2002) Nitric oxide as the mediator of the antiosteoporotic actions of estrogen, statins, and essential fatty acids, *Exp. Biol. Med. (Maywood)*, vol. 227(2): 88-93.
- Davis, J., Higginbotham, A., O'Connor, T., Moustaid-Moussa, N., Tebbe, A., Kim, Y. C., Cho, K. W., Shay, N., Adler, S., Peterson, R. and Banz, W. (2007) Soy protein and isoflavones influence adiposity and development of metabolic syndrome in the obese male ZDF rat, *Ann. Nutr. Metab.*, vol. 51(1): 42-52.
- Deepthi, S. K. Amar, G. R., and Naidu, J. N. (2012) Study of biochemical bone turnover markers in postmenopausal women leading to osteoporosis, *Int. J. Applied Biolo. Pharm. Tech.*, vol. 3(3): 301-5.
- Delmas, P. D., Demiaux, B., Malaval, L., Chapuy, M. C., Edouard, C. and Meunier, P. J. (1986) Serum bone gamma carboxyglutamic acid containing protein in primary hyperparathyroidism and in malignant hypercalcemia comparison with bone histomorphometry, *J. Clin. Invest.*, vol. 77(3): 985-91.
- De Rijke, E., Zafra-Gómez, A., Ariese, F., Brinkman, U. A. and Gooije, C. (2001) Determination of isoflavone glucoside malonates in *Trifolium pretense* L. (Red clover) extracts: quantification and stability studies, *J. Chromatogr A*, vol. 932(1-2): 55-64.
- Diel, P., Smolnikar, K., Schulz, T., Laudenbach-Leschowski, U., Michna, H. and Vollmer, G. (2001) Phytoestrogens and carcinogenesis-differential effects of genistein in experimental models of normal and malignant rat endometrium, *Hum. Reprod.*, vol. 16(5): 997-1006.
- Dong, X. L., Gao, Q. G., Gu, S. S., Feng, H. T., Wong, M. S. and Denney, L. (2012) Long-term treatment of puerariae radix extract ameliorated hyperparathyroidism induced by ovariectomy in mature female rats, *World Academy Sci. Engin. Techno.*, vol. 69: 1262-66.
- Dornstauder, E., Jisa, E., Unterrieder, I., Krenn, L., Kubelka, W. and Jungbauer, A. (2001) Estrogenic activity of two standardized red clover extracts (Menoflavan) intended for large scale use in hormone replacement therapy, *J. Steroid Biochem. Mol. Biol.*, vol. 78(1): 67-75.
- Drury, R. B. (1980): Bone and decalcification. In carletonis histological technique, 5nd (eds.), Drury R. B. and Wallington, E. A. edi., Oxford University Press, page: 199-200.

- Du, Z., Chen, J., Yan, F., Doan, N., Ivanovski, S. and Xiao Y. (2011) Serum bone formation marker correlation with improved osseointegration in osteoporotic rats treated with simvastatin, *Clin. Oral Implants Res.*, vol. N/A(10): 1-6.
- Eckel, L. A., Houpt, T. A. and Geary, N. (2002) Estradiol treatment increases CCK-induced c-Fos expression in the brains of ovariectomized rats, *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, vol. 283(6): 1378-85.
- El-Desouki, M. I. (2003) Osteoporosis in postmenopausal Saudi women using dual X-ray bone densitometry, *Saudi Med. J.*, vol. 24(9): 953-6.
- El-Desouki, M. I. and Sulimani, R. A. (2007) High prevalence of osteoporosis in Saudi men, *Saudi Med. J.*, vol. 28(5): 774-7
- El-Moursy, S. A., Abdalla, A. Y., El-Ashmony, S. M., Rashed, L. and Ali, H. M. (2009) The effect of two selective serotonin reuptake inhibitors on the bone turnover of intact and ovariectomized female albino rats, *Res. J. Medicine Med. Sci.*, vol. 4(2): 136-150.
- Engelmann, N. J., Reppert, A., Yousef, G., Rogers, R. B. and Lila, M. A. (2009) In vitro production of radio labeled red clover (*Trifolium pretense* L.) isoflavones, *Plant Cell Tissue Organ Cult.*, vol. 98(2): 147-56.
- Eren, E. and Yilmaz, N. (2005) Biochemical markers of bone turnover and bone mineral density in patients with β -thalassaemia major, *Int. J. Clin. Pract.*, vol. 59(1): 46-51.
- Eriksen, E. F., Charles, P., Melsen, F., Mosekilde, L., Risteli, L. and Risteli, J. (1993) Serum markers of type I collagen formation and degradation in metabolic bone disease: correlation with bone histomorphometry, *J. Bone Miner. Res.*, vol. 8(2): 127-32.
- Ettinger, B. (2005) Vasomotor symptom relief versus unwanted effects: role of estrogen dosage, *Am. J. Med.*, 118(12): 74-8.
- Ettinger, B., Ensrud, K. E., Wallace, R., Johnson, K. C., Cummings, S. R., Yankov, V., Vittinghoff, E. and Grady, D. (2004) Effects of ultralow-dose transdermal estradiol on bone mineral density: a randomized clinical trial, *Obstet. Gynecol.*, vol. 104(3): 443-51.
- Evans, B. A. J., Griffiths, K. and Morton, M. S. (1995) Inhibition of 5a-reductase in genital skin fibroblasts and prostate tissue by dietary lignans and isoflavonoids, *J. Endocr.*, vol. 147(2): 295-302.

- Fanti, P., Monier-Faugere, M. C., Geng, Z., Schmidt, J., Morris, P. E., Cohen, D. and Malluche, H. H. (1998) The phytoestrogen genistein reduces bone loss in short-term ovariectomized rats, *Osteoporos. Int.*, vol. 8(3): 274-81.
- Ferreri, S. L., Talish, R., Trandafir, T. and Qin, Y.X. (2011) Mitigation of bone loss with ultrasound induced dynamic mechanical signals in an OVX induced rat model of osteopenia, *Bone*, vol. 48(5): 1095-102.
- Ferretti, M., Bertoni, L., Cavani, F., Zavatti, M., Resca, E., Carnevale, G., Benelli, A., Zanolini, P. and Palumbo, C. (2010) Influence of ferutinin on bone metabolism in ovariectomized rats. II: role in recovering osteoporosis, *J. Anat.*, vol. 217(1): 48-56.
- Fitzpatrick, L. A. (2006) Estrogen therapy for postmenopausal osteoporosis, *Arq. Bras. Endocr. Metab.*, vol. 50(4): 705-19.
- Foth, D, Cline, J. M. and Römer, T. (2000) Effect of isoflavones on mammary gland and endometrium of postmenopausal macaques (*Macaca fascicularis*), *Zentralbl Gynakol*, vol. 122(2): 96-102.
- Foord, S. M., Bonner, T. I., Neubig, R. R., Rosser, E. M., Pin, J. P., Davenport, A. P., Spedding, M. and Harmar, A. J. (2005) International union of pharmacology. XLVI. G protein-coupled receptor list, *Pharmacol. Rev.*, vol. 57(2): 279-288.
- Franke, A. A., Halm, B. M., Kakazu, K., Li, X. and Custer, L. J. (2009) Phytoestrogenic isoflavonoids in epidemiologic and clinical research, *Drug Test Anal.*, vol. 1(1): 14-21.
- Gambacciani, M. (2012) HRT misuse and the osteoporosis epidemic, *Climacteric*, vol. 15(1):10-1.
- Gao, Q., Mezei, G., Nie, Y., Rao, Y., Choi, C. S., Bechmann, I., Leranth, C., Toran-Allerand, D., Priest, C. A., Roberts, J. L., Gao, X. B., Mobbs, C., Shulman, G. I., Diano, S. and Horvath, T. L. (2007) Anorectic estrogen mimics leptin's effect on the rewiring of melanocortin cells and Stat3 signaling in obese animals, *Nat. Med.*, vol. 13(1): 89-94.
- Gao, Y. H. and Yamaguchi, M. (2000) Suppressive effect of genistein on rat bone osteoclasts: involvement of protein kinase inhibition and protein tyrosine phosphatase activation, *Int. J. Mol. Med.*, vol. 5(3): 261-7.
- Garnero, P. and Delmas, P. D. (2001) Biochemical markers of bone turnover in osteoporosis. In: Marcus, M., Feldman, D. and Kelsey, J. (eds.) *Osteoporosis*, New York, Academic Press, 2: 459-77.

- Garnero, P., Sornay-Rendu, E., Chapuy, M. C. and Delmas, P. D. (1996) Increased bone turnover in late postmenopausal women is a major determinant of osteoporosis, *J. Bone Miner. Res.*, vol. 11(3):337-49.
- Garnero, P., Vassy, V., Bertholin, A., Riou, J.P. and Delman, P.D. (1994) Markers of bone turnover in hyperthyroidism and the effect of treatment, *J. Clin. Endocr. Metab.*, vol. 78(4): 955-9.
- Geary, N. and Asarian, L. (2001) Estradiol increases glucagon's satiating potency in ovariectomized rats, *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, vol. 281(4): 1290-4.
- Geller, S. and Studee, L. (2006) Soy and red clover for mid-life and aging, *Climacteric*, vol. 9(4): 245-63.
- Gilmore, T. D. (2006) Introduction to NF-kappaB: players, pathways, perspectives, *Oncogene*, vol. 25(51): 6680-4.
- Goderie-Plomp, H. W., van der Klift, M., de Ronde, W., Hofman, A., de Jong, F. H. and Pols, H. A. (2004) Endogenous sex hormones, sex hormone-binding globulin, and the risk of incident vertebral fractures in elderly men and women: the Rotterdam study, *J. Clin. Endocr. Metab.*, vol. 89(7): 3261-9.
- Grodstein, F. and Stampfer, M. J. (1998) The cardioprotective effects of estrogens. In Studd, J. edi. *The Management of the Menopause*. Annual Review, Carnforth, UK: Parthenon Publishing, 211-19.
- Goss, P. E., Qi, S., Josse, R. G., Pritzker, K. P., Mendes, M., Hu, H., Waldman, S. D. and Grynpas, M. D. (2004) The steroid aromatase inhibitor exemestane prevents bone loss in ovariectomized rats, *Bone*, vol. 34(3): 384-92.
- Greer, W., Ahmed, M., Rifai, A. and Sandridge, A. L. (2008) Exploring the extent of postmenopausal osteoporosis among Saudi Arabian women using dynamic simulation, *J. Clin. Dentistry*, vol. 11(4): 543-54.
- Grippo, A. A., Capps, K., Rougeau, B. and Gurley, B. J. (2007) Analysis of flavonoid phytoestrogens in botanical and ephedra-containing dietary supplements, *Ann. Pharmacother.*, vol. 41(9): 1375-82.
- Ha, H., Lee, Y. S., Lee, J. H., Choi, H. and Kim, C. (2006) High performance liquid chromatographic analysis of isoflavones in medicinal herbs, *Arch. Pharm. Res.*, vol. 29(1): 96-101.
- Hadjidakis, D. J., Kokkinakis, E. P., Sfakianakis, M. E. and Raptis, S. A. (2003) Bone density patterns after normal and premature menopause, *Maturitas.*, vol. 44(4): 279-86.

- Hadjidakis, D. J., Mylonakis, A., Sfakianakis, M. E., Raptis, S. A. and Raptis, S. A. (2005) Diabetes and premature menopause: is their co-existence detrimental to the skeleton?, Eur. J. Endocr., vol. 152(3): 437-42.
- Hale, G. E., Hughes, C. L., Robboy, S. J., Agarwal, S. K. and Bievre, M. (2001) A double-blind randomized study on the effects of red clover isoflavones on the endometrium, Menopause, vol. 8(5): 338-46.
- Hamosh, M. and Hamosh, P. (1975) The effect of estrogen on the lipoprotein lipase activity of rat adipose tissue, J. Clin. Invest., vol. 55(5): 1132-5.
- Harrison, E., Adjei, A., Ameho, C., Yamamoto, S. and Kono, S. (1998) The effect of soybean protein on bone loss in a rat model of postmenopausal osteoporosis, J. Nutr. Sci. Vitaminol, 44(2): 257-68.
- Harrison, R. M., Phillipi, P. P., Swan, K. F. and Henson, M. C. (1999) Effect of genistein on steroid hormone production in the pregnant rhesus monkey, Proc. Soc. Exp. Biol. Med., vol. 222(1): 78-84.
- Hassan, W. N. and Saed, A. M. (2011) Protective effect of Anise fruit (*pimpinella anisum*) against osteoporosis in rat model, Am. J. Biomed. Sci., vol. 3(1): 49-56.
- Hausman, D. B., DiGirolamo, M., Bartness, T. J., Hausman, G. J. and Martin, R. J. (2001) The biology of white adipocyte proliferation, Obes. Rev., vol. 2(4): 239-54.
- Heine, P. A., Taylor, J. A., Iwamoto, G. A., Lubahn, D. B. and Cooke, P. S. (2000) Increased adipose tissue in male and female estrogen receptor α knockout mice, Proc. Natl. Acad. Sci. USA., vol. 97(23): 12729-34.
- Hidaka, S., Okamoto, Y., Uchiyama, S., Nakatsuma, A., Hashimoto, K., Ohnishi, S. T. and Yamaguchi, M. (2006) Royal jelly prevents osteoporosis in rats: beneficial effects in ovariectomy model and in bone tissue culture model, Evid. Based Complement. Alternat. Med., vol. 3(3): 339-48.
- Hidalgo, L. A., Chedraui, P. A., Morocho, N., Ross, S. and San Miguel, G. (2005) The effect of red clover isoflavones on menopausal symptoms, lipids and vaginal cytology in menopausal women: A randomized, double-blind, placebo-controlled study, Gynecol. Endocr., vol. 21(5): 257-64.
- Hooshmand, S., Juma, S. and Arjmandi, B. H. (2010) Combination of genistein and fructo oligosaccharides prevents bone loss in ovarian hormone deficiency, J. Med. Food, vol. 13(2): 320-5.
- Howard, A. (2011) Coding for bone diseases, For The Record., vol. 23(9): 27.

Horn, D. B. (1972) Standardization of mechanized serum alkaline phosphatase determinations, Clin. Chim. Acta., vol. 37: 43-6.

Hu, M., Krausz, K., Chen, J., Ge, X., Li, J., Gelboin, H. L. and Gonzalez, F. J. (2003) Identification of CYP1A2 as the main isoform for the phase I hydroxylated metabolism of genistein and a prodrug converting enzyme of methylated isoflavones, Drug Metab. Dispos., vol. 31(7): 924-31.

Ikeda, N., Sugiyama, T., Suzuki, T., Mukai, K. and Kusuhsara, S. (2012) Effects of β -cryptoxanthin on bone metabolism in a rat model of osteoporosis, J. Animal Veterinary Advan., vol. 11(1): 30-35.

Irie, A., Takami, M., Kubo, H., Sekino-Suzuki, N., Kasahara, K. and Sanai, Y. (2007) Heparin enhance osteoclastic bone resorption by inhibiting osteoprotegerin activity, Bone, vol. 41(2): 165-74.

Ishida, H., Uesugi, T., Hirai, K., Toda, T., Nukaya, H., Yokotsuka, K. and Tsuji, K. (1998) Preventive effects of the plant isoflavones, daidzein and genistein, on bone loss in ovariectomized rats fed a calcium-deficient diet, Biol. Pharm. Bull., vol. 21: 62-6.

Jagtap, V. R., Ganu, J. V. and Nagane, N. S. (2011) BMD and serum intact osteocalcin in postmenopausal osteoporosis women, Ind. J. Clin. Biochem., vol. 26(1): 70-3.

Jarred, R. A., Keikha, M., Dowling, C., Mc Pherson, S. J., Clare, A. M., Husband, A. J., Pedersen, J. S., Frydenberg, M. and Risbridger, G. P. (2002) Induction of apoptosis in low to moderate-grade human prostate carcinoma by red clover-derived dietary isoflavones, Cancer Epidemiol. Biomarkers Prev., vol. 11(12): 1689-96.

Jiang, J. M., Sacco, S. M. and Ward, W. E. (2008) Ovariectomy-induced hyperphagia does not modulate bone mineral density or bone strength in rats, J. Nutr., vol. 138(11): 2106-10.

Jilka, R. L., Hangoc, G., Girasole, G., Passeri, G., Williams, D. C., Abrams, J. S. and Boyce, B., Broxmeyer, H. and Manolagas, S. C. (1992) Increased osteoclast development after estrogen loss: mediation by interleukin-6, Science, vol. 257(5066): 88-91.

Jin, X. J., Li, J. N., Zhong, H., Chen, H., Wu, T. and Li, Q. (2003) Changes of bone metabolism in rats of 4 and 12 week after ovariectomized, Lab. Anim. Sci. Admin., vol. 20: 20-23.

- Jones, M. E., Thorburn, A. W., Britt, K. L., Hewitt, K. N., Wreford, N. G., Proietto, J., Oz, O. K., Leury, B. J., Robertson, K. M., Yao, S. and Simpson, E. R. (2000) Aromatase-deficient (ArKO) mice have a phenotype of increased adiposity, Proc. Natl. Acad. Sc.i USA., vol. 97(23): 12735-40.
- Ju, C. G., Ma, Q. J., Dang, G. D. and Wang, X. Y. (2007) Electro-microscopic observation of trabecular bone remodeling in ovariectomized rats, J. Clin. Rehabil. Tissue Eng. Res., 11(32): 6509-12.
- Ju, Y. H., AllRed, C. D., AllRed, K. F., Karko, K. L., Doerge, D. R. and Helferich, W. G. (2001) Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice, J. Nutr., vol. 131(11): 2957-62.
- Ju, Y. H., Doerge, D. R. and Helferich, W. G. (2008) A dietary supplement for female sexual dysfunction, Avlimil, stimulates the growth of estrogen-dependent breast tumors (MCF-7) implanted in ovariectomized athymic nude mice, Food Chem. Toxicol., vol. 46(1): 310-20.
- Justesen, J., Stenderup, K., Ebbesen, E. N., Mosekilde, L., Steiniche, T. and Kassem, M. (2001) Adipocyte tissue volume in bone marrow is increased with aging and in patients with osteoporosis, Biogerontology, vol. 2(3): 165-71.
- Justesen, T. I., Petersen, J. A., Ekbom, P., Damm, P. and Matheisen, E. R. (2006) Albumin-to-creatinine ratio in random urine samples might replace 24-h urine collections in screening for microand macroalbuminuria in pregnant women with type-1 diabetes, Diabetes Care, vol. 29(4): 924-5.
- Kalleny, N. K. (2011) Histological and morphometric studies on the effect of *alpha*-lipoic acid on postovariectomy osteoporosis induced in adult female albino rats, Egypt J. Histol., vol. 34(1): 139-55.
- Kalu, D. N. (1991). The ovariectomized rat model of postmenopausal bone loss, Bone Miner., 15(3): 175-91.
- Kanis, J. A., Mc Closkey, E. V., Johansson, H., Strom, O., Borgstrom, F. and Oden, A. (2008) National osteoporosis guideline group. Case finding for the management of osteoporosis with FRAX-assessment and intervention thresholds for the UK, Osteoporos. Int., vol. 19(10): 1395-408.
- Kawakita, S., Marotta, F., Naito, Y., Gumaste, U., Jain, S., Tsuchiya, J. and Minelli, E. (2009) Effect of an isoflavones-containing red clover preparation and alkaline supplementation on bone metabolism in ovariectomized rats, Clin. Interv. Aging, vol. 4: 91-100.

- Kim, H. K., Nelson-Dooley, C., Fera, M. A., Yang, J. Y., Zhang, W., Duan, J., Hartzell, D. L., Hamrick, M. W. and Baile, C. A. (2006) Genistein decreases food intake, body weight, and fat pad weight and causes adipose tissue apoptosis in ovariectomized female mice, *J. Nutr.*, vol. 136(2): 409-14.
- Kim, T. H., Jung, J. W., Ha, B. G., Hong, J. M., Park, E. K., Kim, H. J. and Kim, S. Y. (2011) The effects of luteolin on osteoclast differentiation, function *in vitro* and ovariectomy-induced bone loss, *J. Nutr. Biochem.*, vol. 22(1): 8-15.
- Kishida, T., Mizushige, T., Ohtsu, Y., Ishikawa, S., Nagamoto, M., Izumi, T., Obata, A. and Ebihara, K. (2008) Dietary soy isoflavone-aglycone lowers food intake in female rats with and without ovariectomy, *Obesity*, vol. 16(2): 290-7.
- Kneissel, M., Boyde, A. and Gasser, J. A. (2001) Bone tissue and its mineralization in aged estrogen-depleted rats after long-term intermittent treatment with parathyroid hormone (PTH) analog SDZ PTS 893 or human PTH (1-34), *Bone*, vol. 28(3): 237-50.
- Krenn, L. and Paper, D. H. (2009) Inhibition of angiogenesis and inflammation by an extract of red clover (*Trifolium pretense* L.), *Phytomedicine*, vol. 16(12):1083-8.
- Kuiper, G. G., Carlsson, B., Grandien, K., Enmark, E., Hagglad, J., Nilsson, S. and Gustafsson, J. A. (1997) Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors *alpha* and *beta*, *Endocr.*, vol. 138(3): 863-70.
- Kuiper, G. G., Lemmen, J. G., Carlsson, B., Corton, J. C., Safe, S. H., van der Saag, P. T., van der Burg, B. and Gustafsson, J. A. (1998) Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor β , *Endocr.*, vol. 139(10): 4252-63.
- Kumm, J., Ivaska, K. K., Rohtla, K., Vaananen, K. and Tamm, A. (2008) Urinary osteocalcin and other markers of bone metabolism: the effect of risedronate therapy, *Scand J. Clin. Lab. Invest.*, vol. 68(6): 459-63.
- Lane, N. E., Yao, W., Kinney, J. H., Modin, G., Balooch, M. and Wronski, T. J. (2003) Both hPTH (1-34) and bFGF increase trabecular bone mass in osteopenic rats but they have different effects on trabecular bone architecture, *J. Bone Miner. Res.*, vol. 18(12): 2105-15.
- Lasota, A. and Danowska, K. D. (2004) Experimental osteoporosis- different methods of ovariectomy in female white rats, *Rocz. Akad. Med. Bialymst.*, vol. 49(1): 129-31.
- Lau, R. and Guo, X. (2011) A Review on current osteoporosis research: with special focus on disuse bone loss, *J. Osteoporos.*, vol. 2011: 1-6.

- Lees, B. and Stevenson, J. C. (2001) The prevention of osteoporosis using sequential low-dose hormone replacement therapy with estradiol-17 β and dydrogesterone, *Osteoporos. Int.*, vol. 12(4): 251-8.
- Lei, Z., Xiaoying, Z. and Xinguo, L. (2009) Ovariectomy-associated changes in bone mineral density and bone marrow haematopoiesis in rats, *Int. J. Exp. Pathol.*, vol. 90(5): 512-9.
- Lelovas, P. P., Xanthos, T. T., Thoma, S. E., Lyritis, G. P. and Dontas, I. A. (2008) The laboratory rat as an animal model for osteoporosis research, *Comp. Med.*, vol. 58(5): 424-30.
- Lerner, U. H. (1996) Transforming growth factor-*beta* stimulates bone resorption in neonatal mouse calvariae by a prostaglandin-unrelated but cell proliferation-dependent pathway, *J. Bone Miner. Res.*, vol. 11(11): 1628-39.
- Lesclous, P. and Saffar, J. L. (1999) Mast cells accumulate in rat bone marrow after ovariectomy, *Cells Tissues Organs*, vol. 164(1): 23-9.
- Lesclous, P., Schramm, F., Gallina, S., Baroukh, B., Guez, D. and Saffar, J. L. (2006) Histamine mediates osteoclastic resorption only during the acute phase of bone loss in ovariectomized rats, *Exp. Physiol.*, vol. 91(3): 561-70.
- Li, X. X., Hara, I. and Matsumiya, T. (2002) Effects of osthole on postmenopausal osteoporosis using ovariectomized rats; comparison to the effects of estradiol, *Biol. Pharm. Bull.*, vol. 25(6): 738-42.
- Liang, Y. Q., Akishita, M., Kim, S., Ako, J., Hashimoto, M., Iijima, K., Ohike, Y., Watanabe, T., Sudoh, N., Toba, K., Yoshizumi, M. and Ouchi, Y. (2002) Estrogen receptor β is involved in the anorectic action of estrogen, *Int. J. Obes. Relat. Metab. Disord.*, vol. 26(8): 1103-9.
- Lien, T. F., Hsu, Y. L., Lo, D. Y. and Chiou, R. Y. (2009) Supplementary health benefits of soy aglycons of isoflavone by improvement of serum biochemical attributes, enhancement of liver antioxidative capacities and protection of vaginal epithelium of ovariectomized rats, *Nutr. Metab. (Lond)*, vol. 6(15).
- Limer, J. L. and Speirs, V. (2004) Phytoestrogens and breast cancer chemoprevention, *Breast Cancer Res.*, vol. 6(3): 119-27.
- Lin, L. Z., He, X. G., Lindenmaier, M., Yang, J., Cleary, M., Qiu, S. X. and Cordell, G. A. (2000) LC-ESI-MS study of the flavonoid glycoside malonates of red clover (*Trifolium pretense*), *J. Agric. Food Chem.*, vol. 48(2): 354-65.

- Lindsay, R., Gallagher, J. C., Kleerekoper, M. and Pickar, J. H. (2002) Effect of lower doses of conjugated equine estrogens with and without medroxyprogesterone acetate on bone in early postmenopausal women, *JAMA*, vol. 287(20): 2668-76.
- Lofman, O., Magnusson, P., Toss, G. and Larsson, L. (2005) Common biochemical markers of bone turnover predict future bone loss: a 5-year follow-up study, *Clin. Chim. Acta.*, vol. 356(1-2): 67-75.
- Lozupone, E. and Favia, A. (1988). Distribution of resorption processes in the compacta and spongiosa of bones from lactating rats fed a low-calcium diet, *Bone*, vol. 9(4): 215-24.
- Mahady, G., Fabricant, D., Chadwick, L. and Dietz, B. (2002) Black cohosh: an alternative therapy for menopause? An official publication of Tufts University, *Nut. Clin. Care*, vol. 5(6): 283-9.
- Manolagas, S. C. (2000) Birth and death of bone cells: basic regulatory mechanisms and implications for the pathogenesis and treatment of osteoporosis, *Endocr. Rev.*, vol. 21(2): 115-37.
- Manolagas, S. C. (2010) From estrogen-centric to aging and oxidative stress: a revised perspective of the pathogenesis of osteoporosis, *Endocr. Rev.*, vol. 31(3): 266-300.
- Manuele, S., Sorbello, L., Puglisi, N., Grasso, S., La Malfa, L., D'Urbino, G., Rizzotto, M., Strano, S. and Maugeri, D. (2007) The teriparatide in the treatment of severe senile osteoporosis, *Arch. Gerontol. Geriatr.*, vol. 44(1): 249-58.
- Marcus, R. (2002) Post-menopausal osteoporosis, *Best Pract. Res. Clin. Obstet. Gynaecol.*, vol. 16(3): 309-27.
- Martin, E. A., Ritman, E. L. and Turner, R. T. (2003) Time course of epiphyseal growth plate fusion in rat tibiae, *Bone*, vol. 32(3): 261-7.
- Mazess, R. B., Nord, R., Hanson, J. A. and Barden, H. S. (2000) Bilateral measurement of femoral bone mineral density, *J. Clin. Densitom.*, vol. 3(2):133-40.
- McElroy, J. F. and Wade, G. N. (1987) Short- and long-term effects of ovariectomy on food intake, body weight, carcass composition, and brown adipose tissue in rats, *Physiol. Behav.*, vol. 39(3): 361-5.
- Mei, J., Yeung, S. S. and Kung, A. W. (2001) High dietary phytoestrogen intake is associated with higher bone mineral density in postmenopausal but not premenopausal women, *J. Clin. Endocr. Metab.*, vol. 86(11): 5217-21.

- Melkko, J., Kauppila, S., Niemi, S., Risteli, L., Haukipuro, K., Jukkola, A. and Risteli, J. (1996) Immunoassay for intact amino terminal pro-peptide of human type I procollagen, *Clin. Chem.*, vol. 42(6): 947-54.
- Metcalfe, D. D., Baram, D. and Mekori, Y. A. (1997) Mast cells, *Physiol. Rev.*, vol. 77(4): 1033-79.
- Miao, Q., Li, J. G., Miao, S., Hu, N., Zhang, J., Zhang, S., Xie, Y. H., Wang, J. B. and Wang, S. W. (2012) The bone-protective effect of genistein in the animal model of bilateral ovariectomy: roles of phytoestrogens and PTH/PTHR1 against postmenopausal osteoporosis, *Int. J. Mol. Sci.*, vol. 13(1): 56-70.
- Michael, M. R., Wolz, E., Davidovich, A., Pfannkuch, F., Edwards, J. A. and Bausch, J. (2006) Acute, subchronic and chronic safety studies with genistein in rats, *Food Chem. Toxicol.*, vol. 44(1): 56-80.
- Miksicek, R. J. (1994) Interaction of naturally occurring non steroidial estrogens with expressed recombinant human estrogen receptor, *J. Steroid Biochem. Mol. Biol.*, vol. 49(2-3): 153-60.
- Miles, L., Lirschitz, D., Biel, C. and Cook, J. (1974) Measurement of serum osteocalcin by enzyme immune assay, *Analytical Biochem.*, vol. 61: 209-24.
- Mohamed, M. K. and Abdel-Rahman, A. A. (2000) Effect of long-term ovariectomy and estrogen replacement on the expression of estrogen receptor gene in female rats, *Eur. J. Endocr.*, vol. 142(3): 307-14.
- Montero, M., Díaz-Curiel, M., Guede, D., Caeiro, J. R., Martín-Fernández, M., Rubert, M., Navarro, D. and de la Piedra, C. (2012) Effects of kalsis, a dietary supplement, on bone metabolism in the ovariectomized rats, *J. Osteoporos.*, vol. 2012(4): 1-7.
- Moshref, S. S. (2007) PM 701 a highly selective anti cancerous agent against L1210 Leukemic cells: In vivo clinical and histopathological study, *J. KAU. Med. Sci.*, vol. 14(4): 85-99.
- Moyad, M. A. (2000) The ABCs of nutrition and supplements for prostate cancer, 1st edi., Chelsea, Sleeping Bear Press,.
- Mueller, S. O., Clark, J. A., Myers, P. H. and Korach, K. S. (2002) Mammary gland development in adult mice requires epithelial and stromal estrogen receptor α , *Endocrinol.*, vol. 143(6): 2357-65.
- Murkies, A. L., Wilcox, G. and Davis, S. R. (1998) Phytoestrogens, *J. Clin. Endocrin. Metab.*, vol. 83(2): 297-303.

- Naaz, A., Yellayi, S., Zakroczymski, M. A., Bunick, D., Doerge, D. R., Lubahn, D. B., Helferich, W. G. and Cooke, P. S. (2003) The soy isoflavone genistein decreases adipose deposition in mice, *Endocr.*, vol. 144(8): 3315-20.
- Naaz, A., Zakroczymski, M., Heine, P., Taylor, J., Saunders, P., Lubahn, D. and Cooke, P. S. (2002) Effect of ovariectomy on adipose tissue of mice in the absence of estrogen receptor α (ER α): a potential role for estrogen receptor β (ER β), *Horm. Metab. Res.*, vol. 34(11-12): 758-63.
- NAMS; North American Menopause Society. (2002) Management of postmenopausal osteoporosis: position statement of the North American Menopause Society, *Menopause*, vol. 9(2): 84-101.
- Narayana, S. K., Koora, S., Sundari, S. G. T. and Shaker, A. I. (2012) The use of serum and urinary biochemical markers of bone turnover in post menopausal women, *Int. J. Healthcare Biomed. Res.*, vol. 1(1): 6-12.
- National Center for Complementary and Alternative Medicine Herbs at a Glance. (2008) Red clover – therapeutic use, HE 20.7252: R 24.
- Nazrun, A., Norazlina, M., Norliza, M. and Ima Nirwana, S. (2011) The anti-inflammatory role of vitamin E in prevention of osteoporosis, *Advanc Pharmacol. Sci.*, vol. 2012: 1-7.
- Nenonen, A., Cheng, S., Ivaska, K. K., Alatalo, S. L., Lehtimäki, T., Schmidt-Gayk, H., Uusi-Rasi, K., Heinonen, A., Kannus, P., Sievänen, H., Vuori, I., Väänänen, H. K. and Halleen, J. M. (2005) Serum TRACP 5b is a useful marker for monitoring alendronate treatment: comparison with other markers of bone turnover, *J. Bone Miner. Res.*, vol. 20(10): 1804-12.
- Nestel, P., Cehun, M., Chronopoulos, A., DaSilva, L., Teede, H. and McGrath, B. (2004) A biochanin-enriched isoflavone from red clover lowers LDL cholesterol in men, *Eur. J. Clin. Nutr.*, vol. 58(3): 403-8.
- NIH; National Institute of Health. (2001) Consensus development panel on osteoporosis, *JAMA*, 285: 785-95.
- Nikander, E., Metsä-Heikkilä, M., Ylikorkala, O. and Tiitinen, A. (2004) Effects of phytoestrogens on bone turnover in postmenopausal women with a history of breast cancer. *J. Clin. Endocrinol. Metab.*, vol. 89(3): 1207-12.
- NOF; National Osteoporosis Foundation. (2010).
- Nogowski, L., Mackowiak, P., Kandulska, K., Szkudelski, T. and Nowak, K. W. (1998) Genistein induced changes in lipid metabolism of ovariectomized rats, *Ann. Nutr. Metab.*, vol. 42(6): 360-6.

- Occhiuto, F., Pasquale, R. D., Guglielmo, G., Palumbo, D. R., Zangla, G., Samperi, S., Renzo, A. and Circosta, C. (2007) Effects of phytoestrogenic isoflavones from red clover (*Trifolium pretense* L.) on experimental osteoporosis, *Phytotherapy Res.*, vol. 21(2): 130-4.
- Occhiuto, F., Zangla, G., Samperi, S., Palumbo, D. R., Pino, A., De Pasquale, R. and Circosta, C. (2008) The phytoestrogenic isoflavones from *Trifolium pretense* L. (Red clover) protects human cortical neurons from glutamate toxicity, *Phytomedicine*, vol. 15(9): 676-82.
- Oerter, K., Janfaza, M., Wong, J. A. and Chang, R. J. (2003) Estrogen bioactivity in fo-ti and other herbs used for their estrogen-like effects as determined by a recombinant cell bioassay, *J. Clin. Endocr. Metab.*, vol. 88(9): 4077-9.
- Oh, H. Y., Lim, S., Lee, J. M., Kim, D.Y., Ann, E. S. and Yoon, S. (2007) A combination of soy isoflavone supplementation and exercise improves lipid profiles and protects antioxidant defense-systems against exercise-induced oxidative stress in ovariectomized rats, *Biofactors*, vol. 29(4): 175-85.
- Onoe, Y., Miyaura, C., Ohta, H., Nozawa, S. and Suda, T. (1997) Expression of estrogen receptor *beta* in rat bone, *Endocr.*, vol. 138(10): 4509-12.
- Papavasiliou, K. A., Kapetanos, G. A., Kirkos, J. M., Beslikas, T. A., Dimitriadou, A. S. and Papavasiliou, V. A. (2003) The pathogenetic influence of I-parathyroid hormone on slipped capital femoral epiphysis. Towards a new etiologic approach?, *J. Musculoskelet Neuronal Interact.*, vol. 3(3): 251-7.
- Parikka, V., Peng, Z., Hentunen, T., Risteli, J., Elo, T., Väänänen, H. K. and Härkönen, P. (2005) Estrogen responsiveness of bone formation in *vitro* and altered bone phenotype in aged estrogen receptor-*alpha*-deficient male and female mice, *Eur. J. Endocr.*, vol. 152(2): 301-14.
- Pedersen, S. B., Hansen, P. S., Lund, S., Andersen, P. H., Odgaard, A. and Richelsen, B. (1996) Identification of estrogen receptors and estrogen receptor mRNA in human adipose tissue, *Eur J. Clin. Invest.*, vol. 26(4): 262-9.
- Pfeilschifter, J., KÖditz, R., Pfohl, M. and Schatz, H. (2002) Changes in proinflammatory cytokine activity after menopause, *Endocr. Rev.*, vol. 23(1): 90-119.

Picherit, C., Coxam, V., Bennetau-Pelissero, C., Kati-Coulibaly, S., Davicco, M. J., Lebecque, P. and Barlet, J. P. (2000) Daidzein is more efficient than genistein in preventing ovariectomy-induced bone loss in rats, *J. Nutr.*, vol. 130(7): 1675-81.

Piersen, C. E., Booth, N. L., Sun, Y., Liang, W., Burdette, J. E., van Breemen, R. B., Geller, S. E., Gu, C., Banuvar, S., Shulman, L. P., Bolton, J. L. and Farnsworth, N. R. (2004) Chemical and biological characterization and clinical evaluation of botanical dietary supplements: A phase I red clover extract as a model, *Current Med. Chem.*, vol. 11(11): 1361-74.

Pilšáková, L., Riečanský, I. and Jagla, F. (2010) The Physiological actions of isoflavone phytoestrogens, *Physiol. Res.*, vol. 59(5): 651-64.

Polkowski, K. and Mazurek, A. P. (2000) Biological properties of genistein. A review of in vitro and in vivo data, *Acta. Pol. Pharm.*, vol. 57(2): 135-55.

Potter, S. M., Baum, J. A., Teng, H., Stillman, R. J., Shay, N. F. and Erdman, J. W. Jr. (1998) Soy protein and isoflavones: their effects on blood lipids and bone density in postmenopausal women, *Am. J. Clin. Nutr.*, vol. 68(6): 1375-9.

Potts, J. T. (2005) Parathyroid hormone: past and present, *J. Endocr.*, vol. 187(3): 311-25.

Potu, B. K., Rao, M. S., Nampurath, G. K., Chamallamudi, M. R., Prasad, K., Nayak, S. R., Dharmavarapu, P. K., Kedage, V. and Bhat, K. M. (2009) Evidence-based assessment of antiosteoporotic activity of petroleum-ether extract of *Cissus quadrangularis* linn. on ovariectomy-induced osteoporosis, *Ups. J. Med. Sci.*, vol. 114(3): 140-8.

Powles, T. J., Howell, A., Evans, D. G., Skey, E. V., Ashley, S., Greenhalgh, R., Affen, J., Flook, L. A. and Tidy, A. (2008) Red clover isoflavones are safe and well tolerated in women with a family history of breast cancer, *Menopause Int.*, vol. 14(1) :6-12.

Prongay, K. D., Lewis, A. D., Hurn, P. D. and Murphy, S. J. (2010) Dietary soy may not confound acute experimental stroke infarct volume outcomes in ovariectomized female rats, *Lab. Anim.*, vol. 44(3): 238-46.

Reyes, B. and Moreno, O. (2005): Prevalence of osteopenia and osteoporosis in postmenopausal women, *Aten. Primaria*, vol. 35(7): 342-7.

Reeves, P. G., Nielsen, F. H. and Fahey, G. C. (1993) AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc

writing committee on the reformulation of the AIN-76A rodent diet, J. Nutr., vol. 123(11): 1939-51.

Riggs, B. L., Khosla, S. and Melton, L. J. (2002) Sex steroids and the construction and conservation of the adult skeleton, Endocr. Rev., vol. 23(3): 279-302.

Rissanen, J. P., Suominen, M. I., Peng, Z., Morko, J., Rasi, S., Risteli, J. and Halleen, J. M. (2008) Short-term changes in serum PINP predict long-term changes in trabecular bone in the rat ovariectomy model, Calcif. Tissue Int., vol. 82(2): 155-61.

Rizzoli, R., Vadas, L. and Bonjour, J.P. (1990) Determination of circulating parathyroid hormone, Int. J. Rad. Appl. Instrum., vol. 17(7): 645-50.

Rosen, C. J. (2003) Restoring aging bones, Sci. Am., vol. 288(3): 70-7.

Sabudak, T. and Guler, N. (2009) *Trifolium pretense* L.: A review on its phytochemical and pharmacological profile, Phytother Res., vol. 23(3): 439-46.

Sachdeva, A., Seth, S., Khosla, A. H. and Sachdeva, S. (2005) Study of some common biochemical bone turnover markers in postmenopausal women, Ind. J. Clin. Biochem., vol. 20(1): 131-4.

Sadat, A. M. and Al-Elq, A. (2006) Osteoporosis among male Saudi Arabs: A pilot study, Ann. Saudi Med., vol. 26(6): 450-4.

Sadat, A. M., Al-Habdan, I. M., Al-Mulhim , F. A. and El-Hassan, A. Y. (2004) Bone mineral density among postmenopausal Saudi women, Saudi Med. J., vol. 25(11): 1623-5.

Sadat, A. M., Al-Habdan, I. M., Al-Turki, H. A. and Azam, M. Q. (2012) An epidemiological analysis of the incidence of osteoporosis and osteoporosis-related fractures among the Saudi Arabian population, Ann. Saudi Med., vol. 32(6): 637-41.

Saleh, N. K. and Saleh, H. A. (2011) Olive oil effectively mitigates ovariectomy induced osteoporosis in rats, BMC Complement. Altern. Med., vol. 11(10): 1-11.

Sayegh, R. A., Kelly, L., Wurtman, J., Deitch, A. and Chelbow, D. (1999) Impact of hormone replacement therapy on the body mass and fat compositions of menopausal women: a cross-sectional study, Menopause, vol. 6(4): 312-5.

Schaller, S., Henriksen, K., Hoegh-Andersen, P., Sondergaard, B.C., Sumer, E. U., Tanko, L. B., Qvist, P. and Karsdal, M. A. (2005) *In vitro*, *ex vivo*, and *in vivo* methodological approaches for studying therapeutic targets of osteoporosis and

degenerative joint diseases: how biomarkers can assist?, *Assay Drug Dev. Technol.*, vol. 3(5): 553-80.

Schierbeck, L. L., Rejnmark, L., Tofteng, C. L., Stilgren, L., Eiken, P., Mosekilde, L., Køber, L. and Beck, J. E. (2012) Effect of hormone replacement therapy on cardiovascular events in recently postmenopausal women: randomized trial, *BMJ*, vol. 345: 1-11.

Seeman, E. (2008) Structural basis of growth-related gain and age-related loss of bone strength, *Rheumatology (Oxford)*, vol. 47(4): 2-8.

Setchell, K. D., Brown, N. M., Desai, P., Zimmer-Nechemias, L., Wolfe, B. E., Brashear, W. T., Kirschner, A. S., Cassidy, A. and Heubi, J. E. (2001) Bioavailability of pure isoflavones in healthy humans and analysis of commercial soy isoflavone supplements, *J. Nutr.*, vol. 131(4): 1362-75.

Setchell, K. D., Brown, N. M., Zimmer-Nechemias, L., Brashear, W. T., Wolfe, B. E., Kirschner, A. S. and Heubi, J. E. (2002) Evidence for lack of absorption of soy isoflavone glycosides in humans, supporting the crucial role of intestinal metabolism for bioavailability, *Am. J. Clin. Nutr.*, vol. 76 (2): 447-53.

Sharma, S., Tandon, V. R., Mahajan, A., Kour, A. and Kumar, D. (2006) Preliminary screening of osteoporosis and osteopenia in urban women from Jammu using calcaneal QUS, *Ind. J. Med. Sci.*, vol. 60(5): 183-9.

Shen, W., Sui, L. and Su, L. H. (2006) Establishment of experimental animal model of osteoporosis with mice, *J. Shenyang Med. Coll.*, vol. 8: 245-6.

Simoncini, T., Garibaldi, S., Fu, X. D., Pisaneschi, S., Begliuomini, S., Baldacci, C., Lenzi, E., Goglia, L., Giretti, M. S. and Genazzani, A. R. (2008) Effects of phytoestrogens derived from Red clover on atherogenic adhesion molecules in human endothelial cells, *Menopause*, vol. 15(3): 542-50.

Simsek, G., Uzun, H., Aydin, S., Karter, Y., Benian, A., Dariyerli, N., Kaya, S. and Yigit, G. (2005) The role of nitric oxide on bone metabolism in ovariectomized rats following chronic ethanol intake, *Life Sci.*, vol. 76(17): 1965-74.

Siris, E. S., Miller, P. D., Barrett-Connor, E., Faulkner, K. G., Wehren, L. E., Abbott, T. A., Berger, M. L., Santora, A. C. and Sherwood, L. M. (2001) Identification and fracture outcomes of undiagnosed low bone mineral density in postmenopausal women: results from the National Osteoporosis Risk Assessment, *JAMA*, vol. 286(22): 2815-22.

Slemenda, C., Hui, S. L., Longcope, C. and Johnston, C. C. (1987) Sex steroids and bone mass. A study of changes about the time of menopause, *J. Clin. Invest.*, vol. 80(5): 1261-9.

Snedecor, G. W. and Cochran, W. G. (1989) Statistical methods. 8th edi., USA, Iowa. State Univ. Press, Ames, Iowa.,

Srivastava, K., Tyagi, A. M., Khan, K., Dixit, M., Lahiri, S., Kumar, A., Changkija, B., Khan, M. P., Nagar, G. K., Yadav, D. K., Maurya, R., Singh, S. P., Jain, G. K., Wahajuddin., Trivedi, R., Chattopadhyay, N. and Singh, D. (2013) Isoformononetin, a methoxydaidzein present in medicinal plants, reverses bone loss in osteopenic rats and exerts bone anabolic action by preventing osteoblast apoptosis, *Phytomedicine*, vol. 20(6): 470-80.

Stanworth, R. D. and Jones, T. H. (2008) Testosterone for the aging male; current evidence and recommended practice, *Clin. Interv. Aging*, vol. 3(1): 25-44.

Stevenson, J. C. (2006) International consensus group on HRT and regulatory issues. HRT, osteoporosis and regulatory authorities quis custodiet ipsos custodes?, *Hum. Reprod.*, vol. 21(7): 1668-71.

Stewart, A. F., Cain, R. L., Burr, D. B., Jacob, D., Turner, C. H. and Hock, J. M. (2000) Six-month daily administration of parathyroid hormone and parathyroid hormone-related protein peptides to adult ovariectomized rats markedly enhances bone mass and biomechanical properties: a comparison of human parathyroid hormone 1-34, parathyroid hormone-related protein 1-36, and SDZ-parathyroid hormone 893, *J. Bone Miner. Res.*, vol. 15(8): 1517-25.

Swaminathan, R. (2001) Biochemical markers of bone turnover, *Clin. Chim. Acta.*, vol. 313(1-2): 95-105.

Szkudelska, K., Nogowski, L. and Szkudelski, T. (2000) Genistein affects lipogenesis and lipolysis in isolated rat adipocytes, *J. Steroid Biochem. Mol. Biol.*, vol. 75(4-5): 265-71.

Szulc, P. and Delmas, P. D. (2008) Biochemical markers of bone turnover : potential use in the investigation and management of postmenopausal osteoporosis, *Osteoporos. Int.*, vol. 19(12): 1683-704.

Taguchi, H., Chen, H., Yano, R. and Shoumura, S. (2006) Comparative effects of milk and soymilk on bone loss in adult ovariectomized osteoporosis rat, *Okajimas Folia. Anat. J.*, vol. 83(2): 53-60.

Tenpe, C. R. and Yeole, P. G. (2009) Comparative evaluation of anti-diabetic activity of some marketed poly herbal formulations in alloxan induced diabetic rats, *Int. J. Pharm. Tech. Res.*, vol. 1(1): 43-9.

Terzic, M. M., Dotlic, J., Maricic, S., Mihailovic, T. and Tosic-Race, B. (2009) Influence of red clover-derived isoflavones on serum lipid profile in postmenopausal women, *J. Obstetrics. Gynaecol. Res.*, vol. (35)6: 1091-5.

- Tezval, M., Biblis, M., Sehmisch, S., Schmelz, U., Kolios, L., Rack, T., Stuermer, K. M. and Stuermer, E. K. (2011) Improvement of femoral bone quality after low-magnitude, high-frequency mechanical stimulation in the ovariectomized rat as an osteopenia model, *Calcif. Tissue Int.*, vol. 88(1): 33-40.
- Theoharides, T. C. (1996) The mast cell: a neuroimmunoendocrine master player, *Int. J. Tissue React.*, vol. 18(1): 1-21.
- Tolleson, W. H., Doerge, D. R., Churchwell, M. I., Marques, M. M. and Roberts, D. W. (2002) Metabolism of biochanin A and formononetin by human liver microsomes in vitro, *J. Agric. Food Chem.*, vol. 50(17): 4783-90.
- Torto, R., Boghossian, S., Dube, M. G., Kalra, P. S. and Kalra, S. P. (2006) Central leptin gene therapy blocks ovariectomy-induced adiposity, *Obesity*, vol. 14(8): 1312-9.
- Turhan, N. O., Bolkan, F., Duvan, C. I. and Ardicoglu, Y. (2008) The effect of isoflavones on bone mass and bone remodeling markers in postmenopausal women, *Turk. J. Med. Sci.*, vol. 38(2): 145-52.
- Turner, R. T., Maran, A., Lotinun, S., Hefferan, T., Evans, G. L., Zhang, M. and Sibonga, J. D. (2001) Animal models for osteoporosis, *Rev. Endocr. Metab. Disord.*, vol. 2(1): 117-27.
- Tyagi, A. M., Srivastava, K., Singh, A. K., Kumar, A., Changkija, B., Pandey, R., Lahiri, S., Nagar, G. K., Yadav, D. K., Maurya, R., Trivedi, R. and Singh, D. (2012) Formononetin reverses established osteopenia in adult ovariectomized rats, *Menopause*, vol. 19(8): 856-63.
- Uesugi, T., Toda, T., Tsuji, K. and Ishida, H. (2001) Comparative study on reduction of bone loss and lipid metabolism abnormality in ovariectomized rats by soy isoflavones, daidzein, genistein, and glycinein, *Biol. Pharm. Bull.*, vol. 24(4): 368-72.
- Umland, E. M. (2008) Treatment strategies for reducing the burden of menopause-associated vasomotor symptoms, *J. Manag. Care Pharm.*, vol. 14(3): 14-9.
- Ureña, P., Hraby, M., Ferreira, A., Ang, K. S. and de Vernejoul, M. C. (1996) Plasma total versus bone alkaline phosphatase as markers of bone turnover in hemodialysis patients, *J. Am. Soc. Nephrol.*, vol. 7(3): 506-12.
- Valcourt, U., Merle, B., Gineys, E., Viguet-Carrin, S., Delmas, P. D. and Garnero, P. (2007) Non-enzymatic glycation of bone collagen modifies osteoclastic activity and differentiation, *J. Biol. Chem.*, vol. 282(8): 5691-703.

- van de Weijer, P. H. and Barentsen, R. (2002) Isoflavones from Red clover (Promensil) significantly Reduce menopausal hot flush symptoms compared with placebo, *Maturitas*, vol. 42(3): 187-93.
- Verdenius, H. H. and Alma, L. (1958) A quantitative study of decalcification methods in histology, *J. Clin. Pathol.*, vol. 11(3): 229-36.
- Wang, J., Yao, X. S. and Tang, T. S. (2006) Effects of pravastatin on BMP-2 expression and osteoblast proliferation in ovariectomized rats, *Suzhou Uni. J. Med. Sci.*, vol. 26: 14-16.
- Wang, S. W., Chen, Y., Joseph, T. and Hu, M. (2008) Variable isoflavone content of red clover products affects intestinal disposition of biochanin A, formononetin, genistein, and daidzein, *J. Altern. Complement. Med.*, vol. 14(3): 287-97.
- Watson, C. S., Pappas, T. C. and Gametchu, B. (1995) The other estrogen receptor in the plasma membrane: implications for the actions of environmental estrogens, *Environ Health Perspect*, vol. 103 (7): 41-50.
- Waynfirth, H. B. (1980) Experimental and surgical technique in the rat, Academic Press, Inc.
- Weber, K., Kaschig, C. and Erben, R. G. (2004) 1 *Alpha*-hydroxyvitamin D2 and 1 *alpha*-hydroxyvitamin D3 have anabolic effects on cortical bone, but induce intracortical remodeling at toxic doses in ovariectomized rats, *Bone*, vol. 35(3): 704-10.
- Webster, R. A. (2006) Reproductive function and pregnancy. In: McPherson RA, Pincus MR, eds. *Henry's Clinical Diagnosis and Management by Laboratory Methods*. 21 edi., Philadelphia, Pa: Saunders Elsevier: chap 25.
- Weitzmann, M. N. and Pacifici, R. (2006) Estrogen deficiency and bone loss: an inflammatory tale. *J. Clin. Invest.*, vol. 116(5): 1186-94.
- Whelan, A. M., Jurgens, T. M. and Bowles, S. K. (2006) Natural health products in the prevention and treatment of osteoporosis: Systematic review of randomized controlled trials, *Ann. Pharmacother.*, vol. 40(5): 836-49.
- Whitehead, S. A. and Rice, S. (2006) Endocrine-disrupting chemicals as modulators of sex steroid synthesis, *Best Pract. Res. Clin. Endocr. Metab.*, vol. 20(1): 45-61.
- WHO; World Health Organization. (2003) Scientific group: the burden of musculoskeletal conditions at the start of the new millennium, World Health Organ. Tech. Rep. Ser.*
- WHO; World Health Organization. (2004) Scientific group: on the assessment of osteoporosis at primary health care level, Brussels, Belgium.

- Williams, J. P., Jordan, S. E., Barnes, S. and Blair, H. C. (1998) Tyrosine kinase inhibitor effects on avian osteoclastic acid transport, Am. J. Clin. Nutr., 68(6): 1369-74.
- Wong, C., Lai, T., Hilly, J. M., Stewart, C. E. and Farndon, J. R. (2002) Selective estrogen receptor modulators inhibit the effects of insulin-like growth factors in hyperparathyroidism, Surgery, vol. 132(6): 998-1006.
- Wronski, T. J., Cintron, M., Doherty, A. L. and Dann, L. M. (1988) Estrogen treatment prevents osteopenia and depresses bone turnover in ovariectomized rats, Endocr., vol. 123(2): 681-6.
- Wronski, T. J. and Yen, C. F. (1991) The ovariectomized rat as an animal model for postmenopausal bone loss, Cells Mater., vol. 1: 69-74.
- Wu, Q., Wang, M., Sciarappa, W. J. and Simon, J. E. (2004) LC/UV/ESI-MS analysis of isoflavones in Edamame and Tofu soybeans, J. Agric. Food Chem., vol. 52(10): 2763-9.
- Wu, Q., Wang, M. and Simon, J. E. (2003) Determination of isoflavones in red clover and related species by high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection, J. Chromatogr. A, vol. 1016(2): 195-209.
- Wuttke, W., Jarry, H. and Seidlová-Wuttke, D. (2007) Isoflavones-safe food additives or dangerous drugs, Ageing Res. Rev., vol. 6(2): 150-88.
- Xie, Z., Li, Q. H., Meng, P. and Tan, Z. J. (2006) Characteristics of osteoporosis models in ovariectomized rats, Chin. J. Clin. Rehabil, vol. 10: 79-81.
- Yang, C. S., Landau, J. M., Huang, M. T. and Newmark, H. L. (2001) Inhibition of carcinogenesis by dietary polyphenolic compounds, Annu. Rev. Nutr., vol. 21(1): 381-406.
- Yang, R., Davies, C. M., Archer, C. W. and Richards, R. G. (2003) Immunohistochemistry of matrix markers in Technovit 9100 new-embedded undecalcified bone sections, Eur. Cell Mater., vol. 31(6) :57-71
- Yatkin, E. and Daglioglu, S. (2011) Evaluation of the estrogenic effects of dietary perinatal *Trifolium pretense*, J. Veterinary Sci., vol. 12(2): 121-6.
- Yoon, K. H., Cho, D. C., Yu, S. H., Kim, K. T., Jeon, Y. and Sung, J. K. (2012) The change of bone metabolism in ovariectomized rats: analyses of micro CT scan and biochemical markers of bone turnover, J. Korean Neurosurg. Soc., vol. 51(6): 323-7.

- Zaid, S. S., Sulaiman, S. A., Sirajudeen, K. N. and Othman, N. H. (2010) The effects of Tualang honey on female reproductive organs, tibia bone and hormonal profile in ovariectomised rats an animal model for menopause, BMC Complement. Altern. Med., vol. 10(82): 1-7.
- Zand, R. S., Jenkins, D. J. and Diamandis, E. P. (2000) Steroid hormone activity of flavonoids and related compounds, Breast Cancer Res. Treat., vol. 62(1): 35-49.
- Zhang, Y. B., Zhang, Y., Li, L. N., Zhao, X. Y. and Na, X. L. (2010) Soy isoflavone and its effect to regulate hypothalamus and peripheral orexigenic gene expression in ovariectomized rats fed on a high-fat diet, Biomed. Environ. Sci., vol. 23(1): 68-75.
- Zhang, Z., Dong, J., Liu, M., Li, Y., Pan, J., Liu, H., Wang, W., Bai, D., Xiang, L., Xiao, G. G. and Ju, D. (2012) Therapeutic effects of cortex acanthopanaxis aqueous extract on bone metabolism of ovariectomized rats, Evid. Based Complement. Alternat. Med., vol. 2012(11): 1-8.
- Zhu, X., Luo, J., Chen, X., Wang, J., Wang, G., Li, H., Xu, Y., Feng, J. and Tu, H. (2008) Expression characteristic and significance of interleukin-6, nuclear factor kappa *beta*, and bone formation markers in rat models of osteoporosis, Transl. Res., vol. 152(1): 18-23.
- Zhu, H., Ding, L., Xiao, H., Ni, W., Xue, F. and He, Z. (2012) Pharmacological evaluation of LiuWei Zhuanggu Granules in rats, Molecules, vol. 17(7): 8001-9.